



reviverz
PRO STRIKE



Strike Hard, Strike Right

ProStrike by **reviverz**

Upgrade Your Tool. Upgrade Your Strike.

For More Information, Reach Us At:

www.reviverz.com info@reviverz.com



ProStrike by **reviverz**

Product Catalogue

ProStrike by Reviverz

At ProStrike by Reviverz, we believe that every strike matters. Professionals need tools that offer both unyielding power and absolute precision. That is why we have engineered a specialized range of high-performance hammers designed to meet the rigorous demands of contractors, ironworkers, and industrial specialists.

Crafted with a focus on impact, balance, and ergonomic control, every ProStrike hammer is built to withstand the toughest job sites while minimizing user fatigue. From our heavy-duty forged heads to our vibration-dampening handles, our designs ensure that every swing is efficient, accurate, and safe.

We understand that modern professionals require gear that is as resilient as they are. Our mission is to enhance your performance on the move and provide you with tools that blend raw strength with innovative engineering. More than just a hammer, ProStrike represents a commitment to reliability—helping you build with the confidence of a master craftsman.

With ProStrike by Reviverz, you don't just hit the mark—you drive excellence, performance, and durability into every project you touch.



ProStrike

by



Sr. No.	Item Description	Page No.
1	Sledge Hammer	02
2	Locksmith / Machinist Hammer	03
3	Faustel Sledge Hammer	04
4	Club Hammer	05
5	Claw & Full Polish Claw Hammer	06
6	Ball Pein/ Cross Pein Hammer	07
7	German Type Axe	08
8	Single Bit Axe	09
9	Splitting Maul Hammer	10
10	Wood Splitting Maul	11
11	Brass Sledge Hammer	12
12	Copper Sledge Hammer	13
13	Brass Locksmith Hammer	14
14	Brass Ball Pein / Cross Pein Hammer	15
15	Fireman Axe	16
16	Rubber Mallet	17
17	Wood Splitting Wedge	17
18	Dead Blow Hammer Orange	17
19	Super Splitting Axe	17



Sledge Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ ASHWOOD



FIBERGLASS HANDLE



- Made of Alloy steel
- Hardened and tempered
- Hardness 48 - 52 HRC
- Conforming to ANSI / DIN Standards

UTILITY

- ✓ Demolition ✓ Driving Stakes & Rebar ✓ Fracturing Stone & Concrete
- ✓ Driving Fence Posts ✓ Rail Road & Bending ✓ Shaping Metal



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ903-OH-01	RZ903AH-01	RZ903HH-01	RZ903-FH-01	1 LBS	1 LBS, Length 11 Inch	1 LBS, Length 11 Inch
RZ903-OH-1.5	RZ903AH-1.5	RZ903HH-1.5	RZ903-FH-1.5	1.5 LBS	1.5 LBS, Length 11 Inch	1.5 LBS, Length 11 Inch
RZ903-OH-02	RZ903AH-02	RZ903HH-02	RZ903FH-02	2 LBS	2 LBS, Length 11 Inch	2 LBS, Length 11 Inch
RZ903-OH-03	RZ903AH-03	RZ903HH-03	RZ903FH-03	3 LBS	3 LBS, Length 11 Inch	3 LBS, Length 11 Inch
RZ903-OH-04	RZ903AH-04	RZ903HH-04	RZ903FH-04	4 LBS	4 LBS, Length 12 Inch	4 LBS, Length 12 Inch
RZ903-OH-06	RZ903AH-06	RZ903HH-06	RZ903FH-06	6 LBS	6 LBS, Length 36 Inch	6 LBS, Length 30 Inch
RZ903-OH-08	RZ903AH-08	RZ903HH-08	RZ903FH-08	8 LBS	8 LBS, Length 36 Inch	8 LBS, Length 36 Inch
RZ903-OH-10	RZ903AH-10	RZ903HH-10	RZ903FH-10	10 LBS	10 LBS, Length 36 Inch	10 LBS, Length 36 Inch
RZ903-OH-12	RZ903AH-12	RZ903HH-12	RZ903FH-12	12 LBS	12 LBS, Length 36 Inch	12 LBS, Length 36 Inch
RZ903-OH-14	RZ903AH-14	RZ903HH-14	RZ903FH-14	14 LBS	14 LBS, Length 36 Inch	14 LBS, Length 36 Inch
RZ903-OH-16	RZ903AH-16	RZ903HH-16	RZ903FH-16	16 LBS	16 LBS, Length 36 Inch	16 LBS, Length 36 Inch
RZ903-OH-20	RZ903AH-20	RZ903HH-20	RZ903FH-20	20 LBS	20 LBS, Length 36 Inch	20 LBS, Length 36 Inch

Locksmith / Machinist Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ ASHWOOD



FIBERGLASS HANDLE



- Made of Alloy steel
- Hardened and tempered
- Hardness 48 - 52 HRC
- Conforming to ANSI / DIN Standards

UTILITY

- ✓ Riveting ✓ Forging ✓ Shaping & flattening of metal ✓ Embossing
- ✓ Removal of dents ✓ Jewellery application



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ904OH-100	RZ904AH-100	RZ904HH-100	RZ904-FH-100	100 GMS	100 GMS, Length 12 inch	100 GMS, Length 12 inch
RZ904OH-200	RZ904AH-200	RZ904HH-200	RZ904-FH-200	200 GMS	200 GMS, Length 12 inch	200 GMS, Length 12 inch
RZ904OH-300	RZ904AH-300	RZ904HH-300	RZ904-FH-300	300 GMS	300 GMS, Length 12 inch	300 GMS, Length 12 inch
RZ904OH-500	RZ904AH-500	RZ904HH-500	RZ904-FH-500	500 GMS	500 GMS, Length 12 inch	500 GMS, Length 12 inch
RZ904OH-600	RZ904AH-600	RZ904HH-600	RZ904-FH-600	600 GMS	600 GMS, Length 14 inch	600 GMS, Length 14 inch
RZ904OH-800	RZ904AH-800	RZ904HH-800	RZ904-FH-800	800 GMS	800 GMS, Length 14 inch	800 GMS, Length 14 inch
RZ904OH-1000	RZ904AH-1000	RZ904HH-1000	RZ904-FH-1000	1000 GMS	1000 GMS, Length 14 inch	1000 GMS, Length 14 inch
RZ904OH-1500	RZ904AH-1500	RZ904HH-1500	RZ904-FH-1500	1500 GMS	1500 GMS, Length 16 inch	1500 GMS, Length 16 inch
RZ904OH-2000	RZ904AH-2000	RZ904HH-2000	RZ904-FH-2000	2000 GMS	2000 GMS, Length 16 inch	2000 GMS, Length 16 inch
RZ904OH-3000	RZ904AH-3000	RZ904HH-3000	RZ904-FH-3000	3000 GMS	3000 GMS, Length 36 inch	3000 GMS, Length 28 inch
RZ904OH-4000	RZ904AH-4000	RZ904HH-4000	RZ904-FH-4000	4000 GMS	4000 GMS, Length 36 inch	4000 GMS, Length 28 inch
RZ904OH-5000	RZ904AH-5000	RZ904HH-5000	RZ904-FH-5000	5000 GMS	5000 GMS, Length 36 inch	5000 GMS, Length 36 inch
RZ904OH-6000	RZ904AH-6000	RZ904HH-6000	RZ904-FH-6000	6000 GMS	6000 GMS, Length 36 inch	6000 GMS, Length 36 inch
RZ904OH-8000	RZ904AH-8000	RZ904HH-8000	RZ904-FH-8000	8000 GMS	8000 GMS, Length 36 inch	8000 GMS, Length 36 inch
RZ904OH-10000	RZ904AH-10000	RZ904HH-10000	RZ904-FH-10000	10000 GMS	10000 GMS, Length 36 inch	10000 GMS, Length 36 inch

Faustel Sledge Hammer



HEAD ONLY



HICKORY WOOD HANDLE / ASHWOOD



FIBERGLASS HANDLE



- Made of Alloy steel
- Hardened and tempered
- Hardness 48 - 52 HRC
- Conforming to ANSI / DIN Standards

UTILITY

- ✓ Demolition ✓ Driving Stakes & Rebar ✓ Fracturing Stone & Concrete
- ✓ Driving Fence Posts ✓ Rail Road & Bending ✓ Shaping Metal



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ905OH-1000	RZ905AH-1000	RZ905HH-1000	RZ905FH-1000	1000GMS	1000GMS, Length 14inch	1000GMS, Length 14inch
RZ905OH-1500	RZ905AH-1500	RZ905HH-1500	RZ905FH-1500	1500GMS	1500GMS, Length 16inch	1500GMS, Length 16inch
RZ905OH-2000	RZ905AH-2000	RZ905HH-2000	RZ905FH-2000	2000GMS	2000GMS, Length 16inch	2000GMS, Length 16inch
RZ905OH-3000	RZ905AH-3000	RZ905HH-3000	RZ905FH-3000	3000GMS	3000GMS, Length 36inch	3000GMS, Length 28inch
RZ905OH-4000	RZ905AH-4000	RZ905HH-4000	RZ905FH-4000	4000GMS	4000GMS, Length 36inch	4000GMS, Length 28inch
RZ905OH-5000	RZ905AH-5000	RZ905HH-5000	RZ905FH-5000	5000GMS	5000GMS, Length 36inch	5000GMS, Length 36inch
RZ905OH-6000	RZ905AH-6000	RZ905HH-6000	RZ905FH-6000	6000GMS	6000GMS, Length 36inch	6000GMS, Length 36inch
RZ905OH-8000	RZ905AH-8000	RZ905HH-8000	RZ905FH-8000	8000GMS	8000GMS, Length 36inch	8000GMS, Length 36inch
RZ905OH-10000	RZ905AH-10000	RZ905HH-10000	RZ905FH-10000	10000GMS	10000GMS, Length 36inch	10000GMS, Length 36inch

Club Hammer



HEAD ONLY



ASHWOOD / HICKORY WOOD HANDLE



FIBERGLASS HANDLE



- Made of Alloy Steel
- Non Sparking Hammer used in Flammable areas like Oil Fields

UTILITY

- ✓ Driving nails into woods & metal
- ✓ Metal shaping ✓ Material breaking



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ906OH-2.5	RZ906AH-2.5	RZ906HH-2.5	RZ906FH-2.5	2.5 LBS	2.5 LBS, Length 11 inch	2.5 LBS, Length 11 inch
RZ906OH-04	RZ906AH-04	RZ906HH-04	RZ906FH-04	4 LBS	4 LBS, Length 12 inch	4 LBS, Length 12 inch

Claw & Full Polish Claw Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ ASHWOOD



FIBERGLASS HANDLE



- Made of Alloy steel
- Hardened and tempered
- Hardness 48-52 HRC
- Conforming to ANSI/DIN Standards

UTILITY

- ✓ Pulling Out Nails ✓ Lifting Floorboards
- ✓ Carpentry Work



Claw Hammer

Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ914OH-16	RZ914AH-16	RZ914HH-16	RZ914FH-16	16 OZ	16 OZ, Length 13 inch	16 OZ, Length 13 inch
RZ914OH-20	RZ914AH-20	RZ914HH-20	RZ914FH-20	20 OZ	20 OZ, Length 13 inch	20 OZ, Length 13 inch

Full Polish Claw Hammer

Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ914OH-16FP	RZ914AH-16FP	RZ914HH-16FP	RZ914FH-16FP	16 OZ	16 OZ, Length 13 inch	16 OZ, Length 13 inch
RZ914OH-20FP	RZ914AH-20FP	RZ914HH-20FP	RZ914FH-20FP	20 OZ	20 OZ, Length 13 inch	20 OZ, Length 13 inch

Ball Pein/ Cross Pein Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ ASHWOOD



FIBERGLASS HANDLE



- Made of Alloy steel
- Hardened and tempered
- Hardness 48 - 52 HRC
- Conforming to ANSI / DIN Standards

UTILITY

- ✓ Bending & shaping metal ✓ Driving punches & chisels ✓ Hand forging
- ✓ Concrete & stone work ✓ Setting rivets ✓ Texturing face of metal
- ✓ Peen riveted & welded material



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ908OH-100	RZ908AH-100	RZ908HH-100	RZ908FH-100	100 GMS	100 GMS, Length 12 inch	100 GMS, Length 12 inch
RZ908OH-200	RZ908AH-200	RZ908HH-200	RZ908FH-200	200 GMS	200 GMS, Length 12 inch	200 GMS, Length 12 inch
RZ908OH-300	RZ908AH-300	RZ908HH-300	RZ908FH-300	300 GMS	300 GMS, Length 12 inch	300 GMS, Length 12 inch
RZ908OH-500	RZ908AH-500	RZ908HH-500	RZ908FH-500	500 GMS	500 GMS, Length 13 inch	500 GMS, Length 13 inch
RZ908OH-600	RZ908AH-600	RZ908HH-600	RZ908FH-600	600 GMS	600 GMS, Length 13 inch	600 GMS, Length 13 inch
RZ908OH-800	RZ908AH-800	RZ908HH-800	RZ908FH-800	800 GMS	800 GMS, Length 14 inch	800 GMS, Length 14 inch
RZ908OH-1000	RZ908AH-1000	RZ908HH-1000	RZ908FH-1000	1000 GMS	1000 GMS, Length 16 inch	1000 GMS, Length 16 inch

German Type Axe



HEAD ONLY



HICKORY WOOD HANDLE/ASHWOOD



FIBERGLASS HANDLE



- Made of Alloy steel
- Hardened and tempered
- Hardness 48 - 52 HRC
- Conforming to DIN 7294 Standards

UTILITY

- ✓ Pulling Out Nails ✓ Lifting Floorboards ✓ Carpentry Work



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ909OH-600	RZ909AH-600	RZ909HH-600	RZ909FH-600	600 GMS	600 GMS, Length 13 inch	600 GMS, Length 13 inch
RZ909OH-800	RZ909AH-800	RZ909HH-800	RZ909FH-800	800 GMS	800 GMS, Length 13 inch	800 GMS, Length 13 inch
RZ909OH-1000	RZ909AH-1000	RZ909HH-1000	RZ909FH-1000	1000 GMS	1000 GMS, Length 16 inch	1000 GMS, Length 16 inch
RZ909OH-1250	RZ909AH-1250	RZ909HH-1250	RZ909FH-1250	1250 GMS	1250 GMS, Length 28 inch	1250 GMS, Length 28 inch
RZ909OH-2000	RZ909AH-2000	RZ909HH-2000	RZ909FH-2000	2000 GMS	2000 GMS, Length 36 inch	2000 GMS, Length 36 inch

Single Bit Axe



HEAD ONLY



HICKORY WOOD HANDLE/ASHWOOD



FIBERGLASS HANDLE



- Made of Alloy steel
- Hardened and tempered
- Hardness 48 - 52 HRC
- Conforming to ANSI / DIN Standards

UTILITY

- ✓ Designed to cut its way across wood fibers.
- ✓ Used for: • Chopping wood • knocking out chips



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ910OH-1.25	RZ910AH-1.25	RZ910HH-1.25	RZ910FH-1.25	1.25 LBS	1.25 LBS, Length 13 inch	1.25 LBS, Length 13 inch
RZ910OH-3.5	RZ910AH-3.5	RZ910HH-3.5	RZ910FH-3.5	3.5 LBS	3.5 LBS, Length 36 inch	3.5 LBS, Length 36 inch

Splitting Maul Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ASHWOOD



- Made of Alloy steel
- Hardened and tempered
- Hardness 48 52 HRC
- Conforming to DIN/ANS Standards

FIBERGLASS HANDLE



UTILITY

- ✓ Designed to split a piece of wood in two parts by forcing the wood fibers apart parallel to the grain
- ✓ Kindling of wood ✓ Heavy-duty Maul
- ✓ Sharp edge to destroy the wood log



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ9110H-3.0	RZ911AH-3.0	RZ911HH-3.0	RZ911FH-3.0	3 KG	3 KG, Length 36 inch	3 KG, Length 36 inch

Wood Splitting Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ASHWOOD



- Made of Alloy steel
- Hardened and tempered
- Hardness 48 - 52 HRC
- Conforming to ANSI / DIN Standards

FIBERGLASS HANDLE



UTILITY

- ✓ Designed to split a piece of wood in two parts by forcing the wood fibers apart parallel to the grain ✓ Kindling of wood



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ9130H-4.5	RZ913AH-4.5	RZ913OH-4.5	RZ913FH-4.5	4.5 LBS	4.5 LBS, Length 36 inch	4.5 LBS, Length 36 inch

Brass Sledge Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ ASHWOOD



FIBERGLASS HANDLE



- Made of High Quality Brass
- Non Sparking Hammer used in Flammable areas like Oil Fields

UTILITY


- ✓ Meal Forming ✓ Underground Mining ✓ Metal Forming Mining
- ✓ Gas Industry ✓ Oil Rigs

Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ920OH-02	RZ920AH-02	RZ920HH-02	RZ920FH-02	2 LBS	2 LBS, Length 11 inch	2 LBS, Length 11 inch
RZ920OH-03	RZ920AH-03	RZ920HH-03	RZ920FH-03	3 LBS	3 LBS,Length 11 inch	3 LBS,Length 11 inch
RZ920OH-04	RZ920AH-04	RZ920HH-04	RZ920FH-04	4 LBS	4 LBS,Length 12 inch	4 LBS,Length 12 inch
RZ920OH-06	RZ920AH-06	RZ920HH-06	RZ920FH-06	6 LBS	6 LBS,Length 30 inch	6 LBS,Length 30 inch
RZ920OH-08	RZ920AH-08	RZ920HH-08	RZ920FH-08	8 LBS	8 LBS, Length 36 Inch	8 LBS, Length 36 Inch
RZ920OH-10	RZ920AH-10	RZ920HH-10	RZ920FH-10	10 LBS	10 LBS, Length 36 Inch	10 LBS, Length 36 Inch
RZ920OH-12	RZ920AH-12	RZ920HH-12	RZ920FH-12	12 LBS	12 LBS, Length 36 Inch	12 LBS, Length 36 Inch
RZ920OH-14	RZ920AH-14	RZ920HH-14	RZ920FH-14	14 LBS	14 LBS, Length 36 Inch	14 LBS, Length 36 Inch
RZ920OH-16	RZ920AH-16	RZ920HH-16	RZ920FH-16	16 LBS	16 LBS, Length 36 Inch	16 LBS, Length 36 Inch
RZ920OH-20	RZ920AH-20	RZ920HH-20	RZ920FH-20	20 LBS	20 LBS, Length 36 Inch	20 LBS, Length 36 Inch

Copper Sledge Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ ASHWOOD



FIBERGLASS HANDLE



- Made of High Quality Copper
- Non Sparking Hammer used in Flammable areas like Oil Fields

UTILITY

- ✓ Metal forming ✓ Mining ✓ Underground mining ✓ Oil rigs
- ✓ Gas industry

Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ921OH-02	RZ921AH-02	RZ921HH-02	RZ921FH-02	2 LBS	2 LBS, Length 11 inch	2 LBS, Length 11 inch
RZ921OH-03	RZ921AH-03	RZ921HH-03	RZ921FH-03	3 LBS	3 LBS,Length 11 inch	3 LBS,Length 11 inch
RZ921OH-04	RZ921AH-04	RZ921HH-04	RZ921FH-04	4 LBS	4 LBS,Length 12 inch	4 LBS,Length 12 inch
RZ921OH-06	RZ921AH-06	RZ921HH-06	RZ921FH-06	6 LBS	6 LBS,Length 30 inch	6 LBS,Length 30 inch
RZ921OH-08	RZ921AH-08	RZ921HH-08	RZ921FH-08	8 LBS	8 LBS, Length 36 Inch	8 LBS, Length 36 Inch
RZ921OH-10	RZ921AH-10	RZ921HH-10	RZ921FH-10	10 LBS	10 LBS, Length 36 Inch	10 LBS, Length 36 Inch
RZ921OH-12	RZ921AH-12	RZ921HH-12	RZ921FH-12	12 LBS	12 LBS, Length 36 Inch	12 LBS, Length 36 Inch
RZ921OH-14	RZ921AH-14	RZ921HH-14	RZ921FH-14	14 LBS	14 LBS, Length 36 Inch	14 LBS, Length 36 Inch
RZ921OH-16	RZ921AH-16	RZ921HH-16	RZ921FH-16	16 LBS	16 LBS, Length 36 Inch	16 LBS, Length 36 Inch
RZ921OH-20	RZ921AH-20	RZ921HH-20	RZ921FH-20	20 LBS	20 LBS, Length 36 Inch	20 LBS, Length 36 Inch

Brass Locksmith Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ ASHWOOD



FIBERGLASS HANDLE



- Made of High Quality Brass
- Non Sparking Hammer used in Flammable areas like Old Fields

UTILITY

- ✓ Metal Forming ✓ Mining ✓ Underground Mining
- ✓ Oil Rigs ✓ Gas Industry

Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ916OH-100	RZ916AH-100	RZ916HH-100	RZ916FH-100	100 GMS	100 GMS, Length 12 inch	100 GMS, Length 12 inch
RZ916OH-200	RZ916AH-200	RZ916HH-200	RZ916FH-200	200 GMS	200 GMS, Length 12 inch	200 GMS, Length 12 inch
RZ916OH-300	RZ916AH-300	RZ916HH-300	RZ916FH-300	300 GMS	300 GMS, Length 12 inch	300 GMS, Length 12 inch
RZ916OH-500	RZ916AH-500	RZ916HH-500	RZ916FH-500	500 GMS	500 GMS, Length 12 inch	500 GMS, Length 12 inch
RZ916OH-600	RZ916AH-600	RZ916HH-600	RZ916FH-600	600 GMS	600 GMS,Length 14 inch	600 GMS,Length 14 inch
RZ916OH-800	RZ916AH-800	RZ916HH-800	RZ916FH-800	800 GMS	800 GMS,Length 14 inch	800 GMS,Length 14 inch
RZ916OH-1000	RZ916AH-1000	RZ916HH-1000	RZ916FH-1000	1000 GMS	1000 GMS,Length 14 inch	1000 GMS,Length 14 inch
RZ916OH-1500	RZ916AH-1500	RZ916HH-1500	RZ916FH-1500	1500 GMS	1500 GMS,Length 16 inch	1500 GMS,Length 16 inch
RZ916OH-2000	RZ916AH-2000	RZ916HH-2000	RZ916FH-2000	2000 GMS	2000 GMS,Length 16 inch	2000 GMS,Length 16 inch

Brass Ball Pein / Cross Pein Hammer



HEAD ONLY



HICKORY WOOD HANDLE/ ASHWOOD



FIBERGLASS HANDLE



- Made of High Quality Brass
- Non Sparking Hammer used in Flammable areas like Oil Fields

UTILITY

- ✓ Metal forming ✓ Mining ✓ Underground mining
- ✓ Oil rigs ✓ Gas industry

Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ915OH-100	RZ915AH-100	RZ915HH-100	RZ915FH-100	100 GMS	100 GMS, Length 12 inch	100 GMS, Length 12 inch
RZ915OH-200	RZ915AH-200	RZ915HH-200	RZ915FH-200	200 GMS	200 GMS, Length 12 inch	200 GMS, Length 12 inch
RZ915OH-300	RZ915AH-300	RZ915HH-300	RZ915FH-300	300 GMS	300 GMS, Length 12 inch	300 GMS, Length 12 inch
RZ915OH-500	RZ915AH-500	RZ915HH-500	RZ915FH-500	500 GMS	500 GMS, Length 13 inch	500 GMS, Length 13 inch
RZ915OH-600	RZ915AH-600	RZ915HH-600	RZ915FH-600	600 GMS	600 GMS,Length 13 inch	600 GMS,Length 13 inch
RZ915OH-800	RZ915AH-800	RZ915HH-800	RZ915FH-800	800 GMS	800 GMS,Length 14 inch	800 GMS,Length 14 inch
RZ915OH-1000	RZ915AH-1000	RZ915HH-1000	RZ915FH-1000	1000 GMS	1000 GMS,Length 16 inch	1000 GMS,Length 16 inch

HEAD ONLY



HICKORY WOOD HANDLE/ASHWOOD



FIBERGLASS HANDLE



- Made of Alloy steel
- Hardened and tempered
- Hardness 48-52 HRC
- Conforming to DIN/ANSI Standards

UTILITY

- ✓ Designed To Cut Its Way Across Wood Fibers
- ✓ Used For:
 - Chopping Wood
 - Knooling Out Chips
 - Heavy Duty Axe
 - Wide Mouth To Split The Wood
 - Brake Glass And Used By Fireman



Head Only Code	Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Code	Size LBS.	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ9120H-06	RZ912AH-06	RZ912HH-06	RZ912FH-06	6LBS	6LBS, Length 36 inch	6LBS, Length 36 inch

HICKORY WOOD HANDLE/ASHWOOD



FIBERGLASS HANDLE



Ashwood Handle Code	Hickory Wood Handle Code	Fiberglass Handle Length	Hickory / Ashwood Handle Length
RZ917AH-08	RZ917FH-08	8 oz , Length 10 inch	8 oz , Length 10 inch
RZ917AH-16	RZ917FH-16	16 oz, Length 12 inch	16 oz, Length 12 inch
RZ917AH-24	RZ917FH-24	24 oz, Length 16 inch	24 oz, Length 16 inch

Wood Splitting Wedge

Code	Length
RZ922-02	2 KG



Dead Blow Hammer Orange

Code	Length
RZ918-01	1 LBS
RZ918-02	2 LBS
RZ918-03	3 LBS



Super Splitting Axe

Code	Length
RZ919-03	1570 GMS Length 28 inch
RZ919-03	2650 GMS Length 38 inch

